


2 PM 114

2.	1.
63.18	4435
3.	4.
57.02	4000



2174.85	A. 160
Obtained	
120.20	A. 160
56.35	A. 160

Township No. V North, Range No. V East. Surveyed by Jacob Fowler 1807.
The point north of 2nd Boundary. 426.82
The point south of 2nd Boundary. 22,353.03
22,779.85

Description of the quality of the land on the Interior Section lines


Between Section	Quality &c.	Between Section	Quality &c.	Between Section	Quality &c.	Between Section	Quality &c.
33. 34	Level, rich; Beech, Hickory.	12. 13	Part 1st & 2nd; Poplar Ash &c.	17. 18	Poor steep knolls &c.	16. 21	Hilly & bushy; Oak, Beech
34. 35	do	14. 23	Thin wet; Beech, Gum &c.	21. 22	Thin soil; Beech, Hickory &c.	16. 17	do
35. 36	do	14. 15	do	15. 16	do	8. 17	do
37. 38	do	15. 22	Bushy & hilly; Beech, Oak &c.	9. 10	do	7. 18	do
27. 28	do	31. 32	Level wet; Beech, Oak, Gum &c.	3. 4	do	7. 8	do
28. 33	do	30. 31	Rich; Beech, Oak &c.	10. 15	do	9. 16	Rich; Beech, Oak &c.
27. 34	do	29. 30	do	11. 14	do	8. 9	Hilly; good soil; Beech &c.
26. 35	do	19. 30	Thin poor knolls; Oaks &c.	10. 11	Good; Beech, Oak &c.	5. 8	do
25. 36	Low, level, wet; Ash, Elm &c.	29. 32	Level; Beech &c.	3. 10	Thin; Oak &c.	6. 7	Rich; Beech &c.
26. 25	Level rich; Beech, Sugar &c.	28. 29	Thin; Beech &c.	2. 11	Level; Beech, Oak &c.	5. 6	do
23. 26	Rich wet; Beech, Sugar &c.	25. 28	Rich; (Beech, Oak &c.)	11. 12	Good; Beech, Oak, Ash &c.	4. 5	Hilly; Oak, Beech &c.
22. 27	do	20. 21	Poor knolls; Beech, Oak &c.	1. 12	Level, wet; Oak &c.	4. 9	Good; Beech &c.
27. 20	Rich, level; Beech, Oak, Ash &c.	20. 29	Good rolling; Beech &c.	1. 2	do	17. 20	Steep poor hilly
24. 25	Moistly & wet; Beech &c.	19. 20	Steep high knolls; Oak &c.	2. 3	Level; Oak, Hickory &c.		
25. 24	Level; Beech &c.	18. 19	do				
13. 24	do						
13. 14	do						

Township N. 5 South, Range N. 5 East

Interior Section corners


Quarter Section Corners

Posts	Bearing	Inches diam.	Course	They bear	Link dist.	Quantity, &c.	Section Corners	Bearing	Inches diam.	Course	They bear	Link dist.	Quarter Section Corners	Bearing	Inches diam.	Course	They bear	Link dist.		
A	Beech	20	S	39	4	20	1-2-3-4	Maple	10	N	2	4	21	16 A at	1	Beech	11	S	17	4
do	do	6	N	34	10	1	5-6-7-8	Hickory	10	S	2	4	20	do	do	10	S	17	4	
a	Beech	16	S	10	10	46	9-10-11-12	Gum	10	N	2	4	17	2	Beech	30	S	27	13	
do	do	10	S	69	4	57	13-14-15-16	Beech	18	S	90	1	5	3	do	10	S	1	10	
B	Beech	12	S	20	8	26	17-18-19-20	Beech	10	S	80	1	20	4	Beech	11	S	4	8	
do	do	14	S	65	10	54	21-22-23-24	Hickory	8	S	100	1	14	do	do	10	S	20	10	
b	B. oak	48	S	25	10	134	25-26-27-28	Beech	14	S	100	1	14	5	Beech	24	S	7	30	
do	Beech	20	S	45	8	36	29-30-31-32	do	do	do	do	do	do	do	do	12	S	10	10	
C	Beech	30	S	6	8	15	33-34-35-36	Beech	10	S	100	1	10	6	do	12	S	10	10	
do	W. oak	48	S	14	10	57	37-38-39-40	do	do	do	do	do	do	do	do	14	S	10	10	
c	do	18	S	44	30	12	41-42-43-44	Beech	18	S	65	1	14	7	do	18	S	10	10	
do	do	12	S	3	8	29	45-46-47-48	do	14	N	47	6	38	do	do	15	S	10	10	
D	W. Oak	18	S	44	30	12	49-50-51-52	Gum	18	S	1	10	2	11 A at	1	Hickory	13	S	10	10
do	do	12	S	3	8	29	53-54-55-56	do	18	N	14	6	20	2	Beech	8	S	10	10	
d	do	10	S	69	4	57	57-58-59-60	Beech	20	S	6	8	20	3	do	7	S	10	10	
E	Beech	16	S	49	8	31	61-62-63-64	do	16	N	59	1	20	do	do	12	S	10	10	
do	Hickory	20	S	57	10	38	65-66-67-68	do	20	N	51	1	10	3	Gum	11	S	10	10	
e	do	10	S	69	4	57	69-70-71-72	Beech	9	S	4	8	18	4	B. oak	3	S	81	10	
F	Beech	11	S	50	8	30	73-74-75-76	do	16	N	83	4	11	5	Beech	20	S	43	10	
do	do	16	S	77	10	29	77-78-79-80	Gum	10	N	53	1	10	do	do	10	S	10	10	
f	do	10	S	69	4	57	81-82-83-84	Gum	9	S	2	4	15	6	Beech	30	S	34	8	
G	W. oak	10	S	68	10	2	85-86-87-88	do	14	N	16	6	6	do	do	8	S	71	10	
do	Beech	24	N	25	8	14	89-90-91-92	do	30	S	10	1	10	do	do	10	S	80	10	
g	Gum	30	N	44	10	4	93-94-95-96	W. oak	48	S	48	10	31	2	Beech	12	S	81	10	
do	W. oak	10	N	12	8	8	97-98-99-100	B. oak	14	S	53	8	58	do	do	10	S	81	10	
H	W. Oak	20	S	1	10	50	101-102-103-104	Beech	8	N	41	1	14	3	Beech	11	S	40	10	
do	do	20	N	74	10	27	105-106-107-108	do	6	S	7	8	11	do	do	14	S	19	8	
h	Poplar	40	S	20	10	17	109-110-111-112	B. oak	36	S	71	10	10	4	Hickory	16	S	38	8	
do	Beech	10	N	20	8	22	113-114-115-116	do	36	S	73	6	16	do	do	18	N	40	10	
i	Beech	10	S	12	10	12	117-118-119-120	W. oak	36	N	57	10	32	5	Beech	16	N	66	8	
do	do	20	N	61	10	11	121-122-123-124	Beech	11	S	27	8	13	do	do	9	S	40	10	
i	Beech	6	S	73	8	11	125-126-127-128	Beech	11	S	37	8	21	6	Hickory	14	N	30	8	
do	Hickory	7	N	52	10	5	129-130-131-132	Hickory	16	S	53	10	14	do	do	12	West	23	10	
K	Beech	10	S	4	8	19	133-134-135-136	Beech	10	S	12	10	15	P to R at	1	Maple	6	Corner	6	10
do	do	7	N	73	10	28	137-138-139-140	do	20	N	3	10	19	2	Maple	24	S	50	8	
k	Beech	20	S	15	10	38	141-142-143-144	Beech	10	N	70	10	15	do	do	11	N	47	10	
do	do	6	N	19	8	6	145-146-147-148	Gum	9	S	69	8	20	3	Beech	26	S	12	8	
L	Poplar	24	S	5	8	50	149-150-151-152	W. oak	20	S	23	8	44	do	do	18	N	53	10	
do	Beech	8	N	50	10	13	153-154-155-156	Hickory	6	N	23	10	19	4	B. oak	60	S	63	8	
l	Beech	28	S	23	8	20	157-158-159-160	Beech	16	S	40	10	6	do	do	26	N	75	10	
do	do	10	N	23	10	8	161-162-163-164	do	16	N	14	8	40	5	Beech	16	East	10	10	
M	Sugar	15	N	64	8	4	165-166-167-168	Beech	12	S	87	8	10	do	do	30	N	41	10	
do	Poplar	50	S	69	10	2	169-170-171-172	W. oak	36	N	80	10	36	6	W. oak	50	S	38	8	
m	Sugar	20	N	88	10	9	173-174-175-176	W. oak	14	N	86	10	18	do	do	10	N	44	10	
do	Beech	8	S	25	8	23	177-178-179-180	Beech	30	N	35	8	11	Q to D at	1	Beech	12	N	53	8
N	Beech	20	S	36	10	6	181-182-183-184	do	14	N	23	10	25	do	do	8	S	48	10	
do	do	20	S	31	8	16	185-186-187-188	do	10	N	70	10	15	2	Elm	10	N	40	8	
n	Elm	20	S	45	8	12	189-190-191-192	do	9	S	69	8	20	3	Hickory	10	S	53	10	
do	Hickory	10	S	69	10	17	193-194-195-196	do	10	S	12	10	15	do	do	14	N	8	8	
O	Gum	20	N	50	10	25	197-198-199-200	do	10	S	75	8	34	4	Beech	16	S	33	10	
do	Beech	20	S	75	8	34	201-202-203-204	do	10	S	10	8	16	do	do	10	S	86	10	
o	Beech	10	S	10	8	16	205-206-207-208	do	12	N	40	10	21	5	B. oak	26	S	81	8	
do	do	12	N	40	10	21	209-210-211-212	do	8	S	59	8	10	do	do	11	N	13	8	
P	Hickory	8	S	59	8	10	213-214-215-216	do	8	N	59	10	16	6	Hickory	12	N	76	10	
do	Maple	8	N	59	10	16	217-218-219-220	do	24	S	54	10	21	do	do	12	S	42	10	
p	Beech	24	S	54	10	21	221-222-223-224	do	8	N	60	8	11	7	Beech	8	S	78	8	
do	do	8	N	60	8	11	225-226-227-228	do	24	S	44	8	5	8	Maple	10	S	75	8	
Q	Beech	24	S	44	8	5	229-230-231-232	do	20	N	74	10	34	do	do	36	N	65	10	
do	Beech	20	N	74	10	34	233-234-235-236	do	10	N	63	8	15	2	Beech	14	West	12	10	
q	Hickory	10	N	63	8	15	237-238-239-240	do	8	S	55	10	16	do	do	28	N	66	8	
do	Beech	8	S	55	10	16	241-242-243-244	do	10	S	10	8	18	3	B. oak	14	S	32	8	
R	Hickory	24	N	36	8	4	245-246-247-248	do	16	N	77	6	22	4	W. oak	10	N	11	10	
do	do	10	S	10	8	18	249-250-251-252	do	6	N	82	10	9	5	Poplar	5	N	25	8	
r	Sapafias	8	N	14	10	17	253-254-255-256	do	9	S	3	10	19	do	do	3	S	4	10	
do	Poplar	10	S	10	10	8	257-258-259-260	do	12	S	50	6	36	6	Beech	9	N	39	8	
S	Beech	10	N	60	8	4	261-262-263-264	do	14	N	47	10	14	do	do	26	S	2	10	
do	do	20	East	10	16	16	265-266-267-268	do	48	N	46	10	2	6	Beech	6	N	50	10	
s	Beech	20	N	52	10	3	269-270-271-272	W. oak	18	S	10	8	19	do	do	8	S	56	8	
do	do	8	S	19	10	25	273-274-275-276	Beech	18	S	100	1	19	8	Maple	15	S	22	10	
T	Beech	20	S	12	8	23	277-278-279-280	do	18	S	100	1	19	do	do	40	S	84	8	
do	Beech	20	N	61	10	35	281-282-283-284	do	18	N	15	8	10	2	Sycamore	11	S	63	10	
t	do	10	S	86	8	31	285-286-287-288	do	16	S	35	10	14	3	Ironwood	8	S	22	8	
U	Gum	18	N	58	8	31	289-290-291-292	do	18	S	29	8	6	4	B. oak	18	N	34	10	
do	Beech	18	N	58	8	31	293-294-295-296	do	11	N	87	10	24	5	W. oak	16	N	76	10	
u	do	10	S	56	8	21	297-298-299-300	do	16	S	32	10	17	do	do	40	S	71	8	
do	Maple	14	N	59	8	55	301-302-303-304	do	11	S	45	8	9	6	W. oak	9	N	20	8	
V	Beech	10	S	56	8	21	305-306-307-308	do	4	N	58	10	14	do	do	14	S	40	10	
do	Maple	14	N	59	8	55	309-310-311-312	do	14	N	48	8	20	6	W. oak	40	S	75	8	
W	W. oak	10	S	56	8	10	313-314-315-316	do	16	S	84	10	16	do	do	16	S	89	10	
do	do	8	N	60	8	29	317-318-319-320	do	16	N	87	10	12	do	do	16	S	89	10	
W	do	8	N	60	8	29	321-322-323-324	do	16	N	88	8	18	do	do	16	S	89	10	
X	Beech	18	N	23	8	53	325-326-327-328	do	16	S	42	8	7	do	do	16	S	89	10	
do	do	12	S	41	8	53	329-330-331-332	do	5	N	19	10	21	do	do	16	S	8		



T 6 N. R. 5 E 2. M.

277.97	271.77
272.97	29
272.97	Obtained
272.97	



Reported by Chas. Clark, Surveyor
October 19 1833

The part south of Harrison's purchase line is 1,493.48
Within Harrison's purchase — 9,851.83
North of Harrison's purchase — 8,901.83
Total Township — 23,246.64

* The Dr. H. B. Co. do. 25. sold a Patent dated 12.999 for 139.50
which covered this land, sold to John Fickler - Feb. 6. 1837

Pat. Aug. 15/34
and Pat. 102. 1837. B. Received Jeff. Vol. 26/462

Townships Nos V & VI North, Range No V East of 2nd Meridian, Surveyed by Arthur Hearn, 1850.

Description of the Soil on the interior Sectional lines.

between Sections	Quality of	between Sections	
26.27	Land rich & loam - Timber Hackberry & Ash &c	6.7	Land flat & wet - Timber Beech, Oak, Ash & Maple
23.26	ditto	7.18	ditto
22.25	ditto	18.19	ditto
21.24	ditto	19.20	ditto
15.22	ditto	30.31	Land level - Timber Walnut, Ash, Hackberry &c
32.33	Land rolling - Timber Oak & Hickory		Undergrowth Spruce & Yellow
28.33	Land level & rich - Timber Sugar, Beech, Walnut &c		
28.29			
21.28			
20.21	Land level - Timber Elm, Ash, Oak & Hickory		
16.21	ditto		
16.17	ditto		
22.18	ditto		
31.32			
29.32	ditto		
29.30	Land level - Timber Oak, Hickory & Beech		
20.29	ditto		
19.20	ditto		
17.20	ditto		
17.18	ditto		
8.17	ditto		
7.8	ditto		

Townships N. 5 & 6 North, Range N. 5 East of 2nd Mer.

Interior Section Corners described

Continued

Posts	Running trees	Inches dia.	Courses they bear	Inches dist.	Quality of the Soil	Section corners	Running trees	Inches dia.	Courses they bear	Inches dist.	From T to	Running trees	Inches dia.	Courses they bear	Inches dist.
A	Hickory	20	corner			11.23.26.27	Hickory	8	S 76 E	14	I to X at 1.				
a	Indicate boundary					15.16.21.22	elm	6	S 70 N	8					
B	Beech	10	S 26 W	7		28.29.32.33	Beech	30	S 11 W	18					
b	do	20	S 70 E	8		20.21.28.29	do	20	East	47					
C	Beech	20	S 40 E	28			in land								
c	do	0	S 58 W	19		16.17.20.21	elm	6	S 47 W	7					
D	Beech	18	S 38 E	13		8.9.16.17	do	6	S 53 E	13					
d	do	12	S 30 W	19		19.30.31.32	Beech	10	S 16 E	21					
E	Beech	20	S 16 W	30		19.20.29.30	Walnut	18	S 10 W	27	H to Y at 1.				
e	do	20	S 75 W	33		17.18.19.20	W. Oak	10	S 37 W	36					
F							elm	12	S 84 E	16					
F							Beech	10	S 40 E	17					
G							do	10	S 72 W	26					
G							do	12	S 19 W	11					
H	Beech	10	S 19 E	4											
h	do	10	S 33 W	16											
I	Beech	12	S 26 W	10											
i	do	16	S 47 W	20											
K	Buckeye	10	S 4 E	22											
k	Sugar	10	S 25 E	20											
L															
l															
M															
m															
N															
n															
O															
o															
P															
p															
Q															
q															
R															
r															
s															
s															
T	Beech	20	S 52 W	13											
t	do	9	S 53 W	73											
U	Hackberry	12	S 76 E	26											
u	do	10	S 7 W	3											
V	Hickory	18	S 20 E	31											
v	do	10	S 12 W	11											
W	elm	15	S 14 W	13											
w	do	8	S 49 W	13											
X	H. Oak	20	S 24 E	6											
x	elm	15	S 45 E	19											
Y	H. Oak	20	S 42 E	7											
y	elm	8	S 60 W	23											
Y	Maple	18	South	40											
Y	H. Oak	10	S 5 E	39											
Y	Beech	22	S 26 E	44											
Y	B. Oak	20	S 24 W	34											
Y															

Quarter Section Corners described

From T to	Running trees	Inches dia.	Courses they bear	Inches dist.
M to U at 1.				
1.				
2.				
3.				
4.	Sugar	12	S 60 W	43
5.	Beech	20	S 10 E	17
6.	Hackberry	10	S 33 E	22
7.	Sycamore	40	S 60 E	19
8.	Beech	24	S 80 E	37
9.	Hickory	6	S 1 E	13
L to V at 1.				
1.	Poplar	40	South	84
2.	H. Oak	20	S 52 W	75
3.	Red Elm	6	S 80 W	10
4.	do	5	S 44 W	7
5.	Beech	24	S 38 E	23
6.	do	15	S 73 E	50
7.	Hackberry	18	S 6 W	12
8.	Beech	10	S 80 W	29
9.	H. Oak	12	S 82 W	29
10.	Cherry	6	S 89 E	10
K to W at 1.				
1.				
2.				
3.	Hackberry	10	S 74 W	13
4.	do	12	S 29 W	21
5.	Hackberry	12	S 46 E	7
6.	elm	28	S 24 E	20
7.	elm	12	East	2
8.	Sycamore	6	S 58 W	10
9.	elm	12	S 83 E	12

Township N. 5 North, Range N. 5 East of 2nd Mer.

A	Beech	20	S 52 W	13
a	do	9	S 53 W	73
B				
Y				
J				

1808

Corners on White River?

at 1.

2. Sycamore	10	N 26 E	12
Bottomwood	8	S 51 N	10
3. Sycamore	20	corner	
4. No bearing trees			
5. No bearing trees			
6. Sycamore	18	S 23 N	13
do	20	N 54 E	18
7. Sycamore	12	S 33 E	38
do	10	N 72 N	19
8. Hackberry	10	N 66 N	12
Sycamore	20	N 33 E	27
9.			
10. Birch	20	N 11 E	24
do	20	N 75 E	19
11. Locust	12	N 82 E	8
Buckeye	10	N 54 E	16
12. Sycamore	12	N 86 N	12
Red. Star	6	S 86 E	6
13. Elm	20	N 50 N	12
Shoewood	4	S 83 N	12
14. Ironwood	8	S 32 N	8
Hackberry	12	N 16 E	14
15. Bottomwood	20	N 74 N	23
Red Star	8	N 74 E	3
16.			

IND

INDIANA.
N & E 2 P. M.

Town 5 N Range 5 E



see Vol 5 Ohio

Township 196 North, Range 105 East of 2nd Mer.

J. 423.01

40 80
34 20
5 00

8010
3920
4090

End on the West
PO King

63

Indiana

T. 5. N. R. 5 E. 2nd Mer.

24	7
03.18	04.38
07.33	10.47
35	40
57.02	44.00
164.9	7

The foregoing Subdivisions of fractional sections, are truly
Copied from the Original plat, in this office.
Surveyor General's Office
Cincinnati Oct. 19th 1833
Saml. Williams
Ch. Clerk

Encl

T. 5 N. R. 5 E. 2nd Mer.

Entire Sec 9. Cut out by R. Mills & pasture in Vol 5 Jeffersonville

The foregoing subdivisions of fractional sections, are truly copied from the original plat in this office.
Surveyor General's Office
Cincinnati October 19th 1893

Sam. Williams
ch. clk.

Compared

2471 (5.4.58.)



Down to 5 North, Range No. 5 East.

Scale of Forty Chains to an Inch

Pursuant to a Contract with and Instructions from Jared M. Mansfield, Surveyor General of the United States, bearing date, the day of
 I have admeasured, laid out & surveyed the above described Township; and do hereby certify that it has such marks & bounds both natural & artificial
 as printed on said plat, & described in the field notes made thereof and returned with this plat, into the Surveyor General's Office.

True Copy
 Jared Mansfield
 Surveyor General

Certified this 18 day of April 1857
 Indiana